

Acer Monitors

G195HQVBb LCD

| | |
|----------------|--------------------------------|
| Size | : LCD 18.5" Wide Screen (16:9) |
| Resolution | : 1366 X 768 (max) |
| Brightness | : 200 nits |
| Contrast ratio | : 100,00 : 1Max (ACM) |
| Response time | : 5 ms |
| Interface | : Analog D-Sub |
| Speaker | : No |
| Price | : Nearly USD 88 |



S191HQLGb

| | |
|----------------|--------------------------------|
| Size | : LED 18.5" Wide Screen (16:9) |
| Resolution | : 1366 X 768 @60Hz |
| Brightness | : 200 cd/m2 |
| Contrast ratio | : 100,000,000 : 1 (ACM) |
| Response time | : 5 ms |
| Interface | : D-Sub |
| Speaker | : No |
| Price | : Nearly USD 97 |

P238HLbmii

| | |
|----------------|----------------------------|
| LED 23" | : Wide Screen (16:9) |
| Resolution | : 1920X 1080 @60Hz Full HD |
| Brightness | : 250 nits |
| Contrast ratio | : 100,000,000 : 1 (ACM) |
| Response time | : 5 ms |
| Interface | : Analog D-Sub and HDMI |
| Speaker | : 1.5W x2 |
| Price | : Nearly USD 184 |



G195HQVDbd

| | |
|----------------|--------------------------------|
| Size | : LED 18.5" Wide Screen (16:9) |
| Resolution | : 1366 X 768 @60Hz |
| Brightness | : 250 nits |
| Contrast ratio | : 100,000,000 : 1 (ACM) |
| Response time | : 5 ms |
| Interface | : Analog D-Sub and DVI |
| Speaker | : No |
| Price | : Nearly USD 95 |

G205HLBbd

| | |
|----------------|-------------------------------|
| Size | : LED 20" Wide Screen (16:9) |
| Resolution | : 1600X 900 (Max) Full HD |
| Brightness | : 250 cd/m2 |
| Contrast ratio | : 100,000,000: 1 (ACM) |
| Response time | : 5 ms |
| Interface | : Analog D-Sub and DVI(DHDCP) |
| Speaker | : No |
| Price | : Nearly USD 111 |



S220HQLbd

| | |
|----------------|---------------------------------|
| Size | : LED 21.5" Wide Screen (16:9) |
| Resolution | : 1920X 1080 @60Hz Full HD |
| Brightness | : 250 nits |
| Contrast ratio | : 100,000,000 : 1 (ACM) |
| Response time | : 5 ms |
| Interface | : D-Sub and DVI-D |
| Speaker | : No |
| Price | : Nearly USD 143 |

S200HLAbd

| | |
|----------------|-------------------------------|
| Size | : LED 20" Wide Screen (16:9) |
| Resolution | : 1600X 900 @60Hz Full HD |
| Brightness | : 250 nits |
| Contrast ratio | : 100,000,000 : 1 (ACM) |
| Response time | : 5 ms |
| Interface | : Analog D-Sub and DVI |
| Speaker | : No |
| Price | : Nearly USD 116 |



P 238 HL

| | |
|----------------|-------------------------------|
| Size | : LED 23" Wide Screen (16:9) |
| Resolution | : 1920X 1080 @60Hz Full HD |
| Brightness | : 250 nits |
| Contrast ratio | : 100,000,000 : 1 (ACM) |
| Response time | : 5 ms |
| Interface | : |
| Speaker | : NA |
| Price | : Nearly USD 173 |

AOC Monitors

E960Swn 18.5" LED

| | |
|----------------|-----------------------|
| Size | : 18.5" LED Monitor |
| Resolution | : 1366x768 @60Hz |
| Contrast ratio | : 20,000,000 : 1 |
| Response time | : 5 ms |
| Interface | : VGA |
| Speaker | : No |
| Price | : Nearly 82,000 kyats |



e2050Sda 20" LED

| | |
|----------------|------------------------|
| Size | : 20" LED Monitor |
| Resolution | : 1600x900 @60Hz |
| Contrast ratio | : 20,000,000 : 1 |
| Response time | : 5 ms |
| Interface | : VGA & DVI Ports |
| Speaker | : Yes |
| Price | : Nearly 103,000 kyats |

e2051F 20" LED(Photo Frame Style)

| | |
|----------------|------------------------|
| Size | : 20" LED Monitor |
| Resolution | : 1600x900 @60Hz |
| Contrast ratio | : 20,000,000 : 1 |
| Response time | : 5 ms |
| Interface | : VGA & DVI Ports |
| Speaker | : No |
| Price | : Nearly 118,000 kyats |



e2243Fw2k 21.5" LED

| | |
|----------------|-------------------------|
| Size | : 21.5" LED Monitor |
| Resolution | : 1020x1080 @60Hz |
| Contrast ratio | : 50,000,000 : 1 |
| Response time | : 5 ms |
| Interface | : VGA & Twin HDMI Ports |
| Speaker | : No |
| Price | : Nearly 130,000 kyats |

ViewSonic Monitors

VA1938wa-LED

| | |
|----------------|---|
| Size | : 48cm/18.5" wide color a-Si TFT Active Matrix LCD with 16:9 aspect ratio |
| Resolution | : 1366x768 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 10,000,000 : 1 |
| Response time | : 5 ms |
| Interface | : 1x15 pin mini D-sub |
| Speaker | : No |
| Price | : Nearly USD 105 |



VA2038wm-LED

| | |
|----------------|--|
| Size | : 20" wide color a-Si TFT Active Matrix LCD with 16:9 aspect ratio |
| Resolution | : 1600x900 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 10,000,000 : 1 |
| Response time | : 5 ms |
| Interface | : 1x15 pin mini D-sub, DVI-D, |
| Speaker | : 2W x 2 |
| Price | : Nearly USD 125 |

VA916g

| | |
|----------------|--|
| Size | : 19" color TFT active matrix SXGA LCD |
| Resolution | : 1280x1024 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 100,000 : 1 |
| Response time | : 5 ms |
| Interface | : 1x15 pin mini D-sub X 1 |
| Speaker | : 2W x 2 |
| Price | : Nearly USD 190 |



VX1951

| | |
|----------------|---|
| Size | : 19" wide color TFT active matrix LCD with 16:9 aspect ratio |
| Resolution | : 1440x900 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 10,000,000 : 1 |
| Response time | : 5 ms |
| Interface | : 1x15 pin mini D-sub, DVI-D, 1x3.5mm audio in |
| Speaker | : 2W x 2 |
| Price | : Nearly USD 125 |



VX2253mh

| | |
|----------------|--|
| Size | : 22" wide screen color TFT active matrix LCD with 16:9 aspect ratio |
| Resolution | : 1920x1080 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 30,000,000 : 1 |
| Response time | : 5 ms (Typ), 2ms (gray to gray) |
| Interface | : HDMI x 2 (HDMI ver.1.3) |
| Speaker | : No |
| Price | : Nearly USD 165 |

Royal Ayyerwaddy CO LTD ချဉ်းခံ

ASUS Monitors VS 197D

| | |
|----------------|-----------------------------------|
| Size | : wide screen 18.5" (47.0cm) 16:9 |
| Resolution | : 1366x768 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 50,000,000 : 1 |
| Response time | : 5 ms |
| Interface | : D-Sub |
| Speaker | : No |
| Price | : Nearly USD 120 |



ML248H

| | |
|----------------|--|
| Size | : 24.0" (61.0cm) 16:9 wide screen |
| Resolution | : 1920x1080 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 10,000,000 : 1 |
| Response time | : 2 ms (gray to gray) |
| Interface | : HDMI 1.3, D-Sub, DVI-D (via-HDMI to DVI cable) |
| Speaker | : No |
| Price | : Nearly USD 262 |

VG 23AH

| | |
|----------------|------------------------------|
| Size | : wide screen 23.0" (58.4cm) |
| Resolution | : 1920x1080 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 80,000,000 : 1 |
| Response time | : 5 ms (gray to gray) |
| Interface | : HDMI 1.4x2, D-Sub, DVI-D |
| Speaker | : 3W x 2 stereo RMS |
| Price | : Nearly USD 324 |





VE278Q

| | |
|----------------|------------------------------|
| Size | : wide screen 23.0" (58.4cm) |
| Resolution | : 1920x1080 |
| Brightness | : 250cd/m ² |
| Contrast ratio | : 80,000,000 : 1 |
| Response time | : 5 ms (gray to gray) |
| Interface | : HDMI 1.4x2, D-Sub, DVI-D |
| Speaker | : 3W x 2 stereo RMS |
| Price | : Nearly USD 415 |

Golden Power Technology CO LTD ၂၂၆၆၆၄

Toshiba 19" HV10E LED LCD TV

| | |
|---------------------------------|--|
| Aspect Ratio | : 16:9 |
| Dynamic Contrast Ratio | : 8,400 : 1 |
| Brightness (cd/m ²) | : 200 |
| Resolution (H x V) | : 1366 x 768 |
| Viewing Angle (Degree) | : 160 |
| Panel Response Speed (ms) | : 6 |
| Visual Video Engine | : Meta Brain Pro |
| Video Processing | : 8Bit |
| 3D Colour Management | : Yes |
| Comb Filter | : 2D Y/C (PAL & NTSC) |
| Intelligent Backlight Control | : Yes |
| Audio | : Stereo System NICAMBG, I, D/K, & German Stereo BG, DK |
| Speakers | : Main (4.2 x 7.5cm) x 2 |
| Audio Output | : 5W X 2 |
| Features | : Multilingual OSD |
| Connection | : Antenna Input 1 |
| EXT 1 | |
| Input | : Composite Video + RCA Audio |
| EXT 2 | |
| Input | : Composite Video + Component + RCA Audio |
| EXT 3 | |
| Input | : HDMI |
| Signal Receiving System | : PAL I, BG, DK, SECAM BG, DK, NTSCM, BG 4.43 |
| Colour System | : PAL, SECAM, NTSC, 3.58/4.43 |
| Video Signal | : 480i/480p (60Hz), 576i/576p |



| | |
|-----------------------|---|
| Power Consumption (W) | : 22 |
| Dimensions | : (W x H x D)mm without Stand 454 x 312 x 50 (W x H x D)mm with stand 454 x 320 x 95 |
| Weight | : (Net) kg without stand 2.9 (Net) kg with stand 3.0 |
| တန်ဖိုး | : 19" - ၁၃၅,၀၀၀ ကျပ်ခန့်ကျင့် 24" - ၁၅၂,၀၀၀ ကျပ်ခန့်ကျင့် 32" - ၂၃၂,၀၀၀ ကျပ်ခန့်ကျင့် |

Toshiba 23" PV 200 Power TV

| | |
|-------------------------|--|
| Product type | : LED TV |
| Screen type | : 23 |
| Aspect ratio | : 16:9 |
| Resolution | : 1920 X 1080 |
| Viewing Angle (Degrees) | : 178 |
| Video Engine | : REGZAENGINE |
| Video Processing | : 10 BIT |
| Picture Mode | : Auto view/Dynamic/Standard/ M8/ Movie/Eco Mode/ Game/ PC |
| Sound System | : Power Bass Booster |
| Speakers | : (4.2 x 7 cm) x 2 |
| Audio Output | : 10W x 2 |
| Media Playback | : Audio format(MP3) / Picture format(JPEG) |
| Connection | : Antena Input 1 |
| EXT 1 | |
| Input | : composite Video + Component + RCA Audio |
| EXT 2 | |
| Input | : Composite Video + RCA Audio |
| EXT 3 | |
| Input | : HDMI 1 |
| EXT 4 | |
| Input | : HDMI 2 (3.5 mm Mini Jack, com- |




| | |
|-----------------------------|--|
| PC Input | : D-Sub 15 Pin (3.5mm Mini Jack common with HDMI 2 Audio) |
| Output | : RCA Audio |
| Digital Input | : USB (side) |
| Video Signal | : 480i/480p (60Hz), 576i/576p(50Hz), 720p(50/60Hz), 1080i(50/60Hz), 1080p(24/50/60Hz) through HDMI |
| RGB Signal | : VGA, SVGA, WXGA, SXGA |
| Automatic Voltage Regulator | : 110 - 240V 50/60Hz |

| | |
|---------|----------------------------|
| တန်ဖိုး | 23" - ၁၅၅,၀၀၀ ကျပ်ခန့်ကျယ် |
| | 32" - ၃၁၀,၀၀၀ ကျပ်ခန့်ကျယ် |
| | 40" - ၅၅၅,၀၀၀ ကျပ်ခန့်ကျယ် |

Toshiba Showroom: ၂၅၅၁၁၃ (၂၁၂)

Adata 52-in-1 Card Reader




Adata ရဲ့ 52 in 1 card reader မှာ card slot ၄ ခု ပါဝင်တဲ့အပြင် ဓမ္မာဓုယိတရာ memory card specification ဆော့ အများ ကြုံ့ပါဝင်ပါတယ်။ Compact flash type III၊ memory stick၊ SD/SDHC၊ XD၊ MMC ဆော့ အပြင် microSDHC၊ M2 နဲ့ MMC/micro ဆော့ကို အချိန်မတူလေးလေးကွာကွာ ပတ်အသုံးနိုင်ပါတယ်။ Card specification အများစုနဲ့ အလုပ်လုပ်ပေးနိုင်တဲ့ အပြင် ဒီ card reader ကို အသုံးပြုပြီး device အမျိုးမျိုးက data ဆော့ ကို transfer လုပ်နိုင်တာနဲ့ သုံးစုတာ အဆင်ပြေပေးပါတယ်။ သူ့ရဲ့ dimension က 56.5 x 57 x 14 mm ဖြစ်ပြီး 30 ဂရမ်ခန့်ပါးအလေးချိန်ရှိကာ operating voltage ကတော့ 3.6V ရှိပါတယ်။ အားပေးတံဖွဲ့နဲ့ (One to one replacement) 

တန်ဖိုး ၁၀.၂ ခေါ်လာခန့်ကျယ်
Micro Computer CO LTD
J85၄၄၃ ၊ ၂၀၂၄၄၃ ၊ ၇၂၁၆၆၈

CLN0017 notebook cooler

၁၀ လက်မ၊ ၁၇ လက်မအရွယ် notebook တွေမှာ တပ်ဆင်အသုံးပြုနိုင်တဲ့ 23 ဇားရှိတဲ့ အပြာရောင် LED USB fan ၂ ခုပါဝင်တဲ့ notebook cooler ဖြစ်ပါတယ်။ အိုင်ထွက်အသွားစေတဲ့ ရာဘာနဲ့ ပြုလုပ်ထားတဲ့ ပုံစံဖြစ်ပါတယ်။ ■

တန်ဖိုး ၂၅.၅ သင်္ကြာဝန်းကျင်
Golden Power Technology CO LTD
၂၁၀၉၄၃ ၊ ၂၂၆၆၆၄ ၊ ၂၅၇၈၁၅



BELKIN 6 Out Surge Protector (Superior Series)



BELKIN ရဲ့ surge protector တွေဟာ ပါးသာအဆင့်တက်ခြင်း ပိုကြံ့ခိုင်မှု ရှာလိုက်ခြင်းကြောင့် လျှပ်စီးကြောင်းကမ္ဘာတစ်ဆင့် စီမံခန့်ခွဲပြီး ကြီးမားတဲ့ ဖိနှိပ်မှုတွေကို ဖြတ်တောက်လိုက်နိုင်တဲ့ protector ဖြစ်ပါတယ်။

BELKIN ရဲ့ surge protector တွေဟာ အတွင်းမှူပါယာကြိုးအသုံးပြုထားတဲ့ snapper plate ကိုအသုံးပြုထားသောကြောင့် ခလောင်သွားခြင်း ဖြတ်တောက်သွားနိုင်မှုမရှိနိုင်ပါ။

ယင်းစီ power cable အရှည်ဟာ 1.5 meter ရှည်လျှော့ပါတယ်။ ထို့အပြင် ဝယ်ပေါက်တွေလည်း shutter ခေါင်းတွေပါဝင်သောကြောင့် ကလေးတွေအထက်လည်း အန္တရာယ်ကင်းနိုင်ပါ တယ်။

ယင်း superior series တွင် phonefax နဲ့ modemjacks ၊ ethernet နဲ့ broadband ချိတ်ဆက်နိုင်တဲ့ jack တို့ပါဝင်ပါတယ်။ Antenna port လည်းပါဝင်သောကြောင့် ယင်းပစ္စည်းတွေနဲ့ တိုက်ရိုက်ချိတ်ဆက် အသုံးပြုနိုင်ပါတယ်။ ■

တန်ဖိုး - ၃၄, ၀၀၀ ကျပ်ဝန်းကျင်
Micro Computer CO LTD
၂၅၇၅၀၃ ၊ ၂၀၂၄၅၃ ၊ ၇၂၆၆၆၀

Toshiba L800 series

Satellite L800 series မှာ processor တွေအနေနဲ့ Intel 2nd generation Core™ i3 ၊ i5 ဝါမှစတင် AMD မိုဗိုင်း ချော့မျှမ်းစရာတွေရှိပါတယ်။ 1366 x 768 pixels display ကလည်း ၁၃.၃ လက်မ၊ ၁၄ လက်မနဲ့ ၁၅.၆ လက်မ အရွယ် ၃ မျိုးရှိပါတယ်။ 8GB DDR3 RAM နဲ့ 7500B 5400 rpm HDD ၊ DVD super multi drive (Double layer) rewritable drive တို့တပ်ဆင်ထားပြီး USB 3.0 ၊ မျှ USB 2.0 တစ်ခု ၊ multi card reader နဲ့ HDMI port တွေအပြင် WLAN ၊ Bluetooth™ 4.0 ၊ 10/100/1000Mbps ethernet LAN တွေလည်း ပါဝင်ပါတယ်။ Multi-touch လုပ်နိုင်တဲ့ TouchPad ပါဝင်တဲ့ A4 IN keyboard က အသုံးပြုရတာ အဆင်ပြေပေပါတယ်။ ဒီ L800 series က ကျောင်းသူ၊ ကျောင်းသားတွေ၊ လုပ်ငန်းခွင်လုပ်ကိုင်သူတွေနဲ့ အိမ်သုံးအတွက် သင့်တော်တာ



maximizing productivity နဲ့ ချဲ့ပျံ့ပါးပါး၊ game တွေကစားတဲ့အခါမှာ ကောင်းမွန်တဲ့စွမ်းဆောင်ရည်ကို ရေရှည်ခံနိုင်ပါတယ်။ ■
၂၄၅၅၀၀ ၊ ၃၇၅၈၅၅